

MSDS ON FORMULA 757 CONT.

ENVIRONMENTAL AND DISPOSAL INFORMATION CONT.:

DISPOSAL METHOD: WASH AWAY WITH LARGE EXCESS OF WATER OR BURY. KEEP OUT OF DRINKING WATER SOURCES. COMPLY WITH LOCAL STATE, AND FEDERAL REGULATIONS.

HEALTH HAZARD DATA

EYE: MAY CAUSE MODERATE TO SEVERE EYE IRRITATION WITH CORNEAL INJURY, WHICH MAY BE SLOW TO HEAL. WHEN DISSOLVING, THE HEAT PRODUCED MAY CAUSE MORE INTENSE EFFECTS AS WELL AS THERMAL BURNS.

SKIN CONTACT: SHORT SINGLE EXPOSURE NOT LIKELY TO CAUSE SIGNIFICANT SKIN IRRITATION. PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION, EVEN A BURN. MAY CAUSE MORE SEVERE RESPONSE IF SKIN IS DAMP AND/OR ABRADED, OR IF MATERIAL IS CONFINED TO SKIN. WHEN DISSOLVING, THE HEAT PRODUCED MAY CAUSE MORE INTENSE EFFECTS AS WELL AS THERMAL BURNS.

SKIN ABSORPTION: A SINGLE PROLONGED EXPOSURE IS NOT LIKELY TO RESULT IN THE MATERIAL BEING ABSORBED THROUGH SKIN IN HARMFUL AMOUNTS. THE LD50 FOR SKIN ABSORPTION IN RABBITS IS >5000 mg/KG

INGESTION: SINGLE DOSE ORAL TOXICITY IS LOW. THE ORAL LD50 FOR RATS IN THE RANGE OF 900-2100 mg/kg FOR F-757 ON A 100% BASIS. INGESTION MAY CAUSE GASTROINTESTINAL IRRITATION OR ULCERATION.

INHALATION: VAPORS ARE UNLIKELY DUE TO PHYSICAL PROPERTIES. DUST MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT.

SYSTEMIC & OTHER EFFECTS: THE COMPONENTS OF THIS PRODUCT ARE NOT LISTED BY IARC, NTP, OR PSHA AS A CARCINOGEN FOR HAZARD COMMUNICATION PURPOSES. RESULTS OF IN VITRO MUTAGENICITY TESTS HAVE BEEN NEGATIVE FOR FORMULA 757.

FIRST AID

EYES: IRRIGATE WITH FLOWING WATER IMMEDIATELY AND CONTINUOUSLY FOR 15 MINUTES. CONSULT MEDICAL PERSONNEL.

SKIN: WASH OFF IN FLOWING WATER OR SHOWER.

HANDLING PRECAUTIONS

EYE PROTECTION: SAFETY GLASSES SHOULD BE SUFFICIENT FOR MOST OPERATIONS: HOWEVER, FOR DUSTY OPERATIONS OR WHEN HANDLING SOLUTIONS OF THE MATERIAL, WEAR CHEMICAL GOGGLES. EYE WASH FOUNTAIN SHOULD BE LOCATED IN IMMEDIATE WORK AREA.

THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH, BUT NO WARRANTY, EXPRESS OR IMPLIED, IS MADE.